

HCD 2.1 Care 1 Card Deader

USB 3.1 Gen 1 Card Readers **RDF5**

Engineered to deliver fast data transfer speeds, the RDF5 card reader features a USB 3.1 Gen 1 interface and support for both SDHC/SDXC and microSDHC/SDXC cards. Capable of being plugged directly into the USB port on any desktop or notebook computer, the ultra compact RDF5 offers effortless file sharing in any situation.



Versatile card reader for SD and microSD cards

Featuring double card slots for both your SD and microSD memory cards, the RDF5 handles most of your daily needs for transfering data between your cameras, phones, and PCs.

Note: The reader does not support simultaneous insertion of SD and microSD cards.



Standard USB Type-A connector

Transcend's RDF5 card reader comes with a standard USB Type-A connector. Besides using it as a card reader, you can also use it as a USB flash drive on any desktop or laptop computers. Simply plug it in directly to the USB port of the computer.



Higher speeds, higher efficiency

Equipped with the USB 3.1 Gen 1 interface, the RDF5 card reader shows amazing transfer speeds, much faster than what you'd get with USB 2.0! Not only will the RDF5 handle your high-resolution images and videos with ease, but it also has an LED indicator to show card insertion and data transfer activity.





USB 3.1 Gen 1 Card Readers **RDF5**

Features

- · USB 3.1 Gen 1 interface
- Multifunctional card reader with an SD card slot, a microSD card slot, and a USB connector
- Plug directly into the USB port on any desktop or notebook computers
- · Convenient LED indicator
- Transfer high-resolution images and video recordings to your computer faster and more efficiently
- Download the RecoveRx data recovery software from Transcend's official website



RecoveRx software

Transcend offers the RecoveRx software, a free data recovery utility that allows you to search deep within a storage device for traces of erased files including digital photos, documents, music, and videos.

Specifications

| Appearance | | | | | |
|-----------------------|---|--|--|--|--|
| Dimensions | 56 mm x 24 mm x 8.9 mm (2.20" x 0.94" x 0.35") | | | | |
| Weight | 18 g (0.63 oz) | | | | |
| Color | Black/White/Pink | | | | |
| Interface | | | | | |
| USB Type | USB Type-A | | | | |
| Connection Interface | USB 3.1 Gen 1 | | | | |
| Hardware | | | | | |
| Card Reader Slot(s) | SD /microSD | | | | |
| Operating Environme | ent | | | | |
| Operating Temperature | 0°C (32°F) ~ 70°C (158°F) | | | | |
| Operating Voltage | 5V | | | | |
| Note | Simultaneous insertion of two cards not supported. | | | | |
| Performance | | | | | |
| Note | Speed may vary due to host hardware, software, usage, and storage capacity. | | | | |
| Warranty | | | | | |
| Certificate | CE/FCC/BSMI/KC/RCM | | | | |
| Warranty | Two-year Limited Warranty | | | | |
| System Requirement | | | | | |
| Operating System | · | | | | |
| Compatibility | | | | | |
| Memory Card Supported | SDHC (UHS-I)/SDXC (UHS-I) microSDHC (UHS-I)/microSDXC (UHS-I) | | | | |
| Note | This card reader will work with UHS-II cards, but only operate at UHS-I speeds. | | | | |

Ordering Information

| 0 | | |
|----------|-------|--|
| TS-RDF5K | Black | |
| TS-RDF5R | Pink | |
| TS-RDF5W | White | |
| | | |

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.



| USB 3.1 Gen 1 Card Readers Comparison | Transcend | Transcend | (f) transcend | 19 Transcend | 🔁 izjamovel 🗇 izanscend | | |
|--|--|------------------------------|----------------------|--|---|--|--|
| | RDC8 | RDF9 | RDF2 | RDF8 | RDF5* | | |
| | | | | | | | |
| Appearance | | | | | | | |
| Dimensions (Max.) | 67.6 mm x 45 mm x 15.2 mm (2.66" x 1.77" x 0.60") | | | | 56 mm x 24 mm x 8.9 mm (2.20" x 0.94" x 0.35") | | |
| Weight (Max.) | 32 g (1.13 oz) | 30.6 g (1.08 oz) | 26 g (0.91 oz) | 32 g (1.13 oz) | 18 g (0.63 oz) | | |
| Color | Black | Black | Black | Black/White | Black/White/Pink | | |
| | | | | | | | |
| Interface | | | | | | | |
| USB Type | micro USB to USB Type C micro USB to USB Type A | | | | USB Type-A | | |
| Connection Interface | USB 3.1 Gen 1 | | | | | | |
| Hardware | | | | | | | |
| Card Reader Slot(s) | SD/microSD CompactFlash | SD/microSD CompactFlash | CFast | SD/microSD CompactFlash | SD/microSD | | |
| | | | | | | | |
| Warranty | | | | | | | |
| Warranty | | ١v | vo-year Limited Warr | ranty | | | |
| | | | | | | | |
| Compatibility | | | | | | | |
| Memory Card Supported | SDHC (UHS-I) | SDHC (UHS-II) | CFast 2.0 | SDHC (UHS-I) | SDHC (UHS-I) | | |
| | SDXC (UHS-I) | SDXC (UHS-II) | | SDXC (UHS-I) | SDXC (UHS-I) | | |
| | microSDHC (UHS-I) microSDXC (UHS-I) | SDHC (UHS-I) SDXC (UHS-I) | | microSDHC (UHS-I) microSDXC (UHS-I) | microSDHC (UHS-I) microSDXC (UHS-I) | | |
| | CompactFlash (UDMA7) | , , | | CompactFlash (UDMA7 | , , | | |
| | | microSDXC(UHS-I) | | | , | | |
| | Co | mpactFlash (UDMA6 | 5) | | | | |
| | Co | mpactFlash (UDMA7 | ") | | | | |
| SD UHS-II | - | \checkmark | - | - | - | | |
| SD UHS-I and below | \checkmark | \checkmark | - | \checkmark | \checkmark | | |
| microSD UHS-I and below | \checkmark | \checkmark | - | \checkmark | \checkmark | | |
| CompactFlash UDMA5 and below | \checkmark | \checkmark | - | \checkmark | - | | |
| CompactFlash UDMA7 & UDMA6 | \checkmark | \checkmark | - | \checkmark | - | | |
| CFast 2.0 and below | | - | \checkmark | - | - | | |